



## Decorative Concrete Contractors

*Serving the Mid-Atlantic since 1991*



**Distributor of Quality Concrete Products**  
**A Veteran Owned Business**





Pattern - Old English Slate  
Color - Sun Buff with Rust Brown Release



Pattern - Exposed Aggregate  
Color - Wheat Medium



Pattern - Grand Slate  
Color - Wheat Light with Rust Brown Release



Pattern - Basketweave Used Brick  
Color - Brick Red with Charcoal Release





Pattern - Grand Slate  
Color - Silver Gray with Silver Gray Release



Pattern - Olde English Slate  
Color - Pewter with Charcoal Release



Pattern - Old London Mermaid with Custom Hilton Logo  
Color - Sable with Charcoal Release



Pattern - Old English Slate  
Color - Tile Red with Charcoal Release





Pattern - Old English Slate with Brick Soldier Course  
Color - Pewter with Charcoal



Pattern - 11" Wood Plank  
Color - Sun Buff with Charcoal



Pattern - Large Random Flagstone  
Color - Pewter with Charcoal



Pattern - Notched Old English Slate  
Color - Wheat Light Integral Dye, Autumn Brown Release






Pattern - 18x18 Diamond Slate  
Color - White CH with Philly Blue Release



Pattern - Basketweave Used Brick  
Color - Brick Red with Charcoal



Pattern - Old London Mermaid  
Color - Sable with Charcoal



Pattern - 11" Wood Plank  
Color - Maplewood with Charcoal



# samples



**Pattern:** 8"X8" Stacked Limestone  
**Color:** Pewter With Charcoal Release



**Pattern:** Grand Ashlar  
**Color:** Sun Buff With Sand Buff Release



**Pattern:** Random Fieldstone  
**Color:** Adobe Buff With Sand Buff Release



**Pattern:** Large Random Flagstone  
**Color:** White With Philly Blue Release



**Pattern:** 18"X18" Diamond Slate  
**Color:** Adobe Buff With Sun Buff Release



**Pattern:** Notched Old English With Soldier Course Border  
**Color:** Philly Blue With Charcoal




**Pattern:** Running Bond Paver Brick  
**Color:** Brick Red With Charcoal Release



**Pattern:** Old London Mermaid  
**Color:** Sun Gray With Charcoal Release



**Pattern:** Notched Old English  
**Color:** Sand Buff With Desert Tan Release



**Pattern:** Belgium Slate Skin  
**Color:** Adobe Buff With Maplewood Release




**Pattern:** Euro Cobblestone Running Bond  
**Color:** Silver Gray With Charcoal Release



**Pattern:** 8"X 8" Limestone  
**Color:** Terra Cotta With Charcoal Release



**Pattern:** Old English Slate  
**Color:** Slate With Charcoal Release



**Pattern:** Herringbone Brick Thin Line  
**Color:** Brick Red With Charcoal Release



**Pattern:** Italian Slate Skin  
**Color:** Sun Buff With Sand Buff Release



**Pattern:** Flower Rock Thin Line  
**Color:** Saltillo With Charcoal Release



**Pattern:** Running Bond Paver Brick  
**Color:** Maplewood With Charcoal Release




**Pattern:** Coquina Skin  
**Color:** Adobe Buff With Rust Brown Release



**Pattern:** Basketweave Brick Thin Line  
**Color:** Redwood With Charcoal Release



**Pattern:** Large Random Flagstone  
**Color:** Desert Tan With Charcoal Release




**Pattern:** Random Fieldstone  
**Color:** Sable With Sun Gray Release



**Pattern:** Notched Old English  
**Color:** Maplewood With Charcoal Release



**Pattern:** Belgium Fan  
**Color:** Desert Tan With Charcoal Release



**Pattern:** Rock Garden  
**Color:** Sun Buff With Desert Tan Release



**Pattern:** Grand Ashlar  
**Color:** White With Philly Blue Release



**Pattern:** 6" Wood Plank  
**Color:** Desert Tan With Gray Release



**Pattern:** 18"X18" Diamond Slate  
**Color:** Adobe Buff With Maplewood Release



**Pattern:** 4' Compass Rose  
**Color:** Pewter With Charcoal Release



**Pattern:** 4' Compass Rose  
**Color:** Adobe Buff With Sun Buff Release Accents Of Stone Essence



**Pattern:** Grand Slate  
**Color:** Silver Gray color hardener with Gray Release





## The Increte Story

Increte of Maryland, Inc. was founded in 1991 by James J. Moran, and is a leading decorative concrete contractor in the Washington-Metropolitan area. We specialize in stamped and decorative concrete. Our area of service includes but is not limited to all of Maryland, Virginia, and the District of Columbia. We are also a distributor of Increte products since our inception.

Increte of Maryland offers a variety of products including Increte Stamped Concrete Products, Spray-Decking, and Stain-Crete. Our office, showroom, and warehouse are located in Crofton, Maryland. In our showroom we have over 100 samples of Stamped Concrete, to go along with samples of Spray-Decking, and Stain-Crete.



Find us on Facebook

[www.facebook.com/Increte-of-Maryland](http://www.facebook.com/Increte-of-Maryland)

**1-800-246-6882**

[www.increteofmaryland.com](http://www.increteofmaryland.com)

# The Increte Story Continued...

Increte of Maryland is a distributor of Increte products in the Baltimore-Washington Metropolitan area. Increte Systems has been in the decorative concrete industry since 1964. We warehouse all of the Increte products needed for the decorative concrete industry. Since we are the manufacturer's representatives in the Baltimore-Washington area all of our personnel have been factory trained. As a distributor we also work with many architects, engineers, and developers in the design phase of their projects.

Increte of Maryland, Inc. is an award winning company. We have won numerous awards for our stamped-decorative concrete work from Concrete Products Magazine, Associated Builders and Contractors, American concrete Institute, and Increte Systems. We are also proud members in Associated Builders and Contractors, NFIB, and MRMCA. Some of our clients include Hyatt, Marriott, Westin, Sheraton, Holiday Inn, Hilton, and Doubletree Hotels. Along with Six Flags Amusement Park, Washington Redskins, Maryland Baseball, Camden Yards, and numerous shopping centers and restaurants.

**Contact Increte of Maryland, Inc. for all of your decorative concrete products:**

**Color Hardeners | Integral Color (Laboratory Match to any manufacturer's color)**

**Color Releases | Concrete Sealers | Concrete Stain Sealers | Stamp Rentals**

**Other Increte Products: Spray-Deck | Texture-Crete | Thin-Crete | Stain-Crete | Color-Crete**

## Increte Specifications

### PART I - GENERAL

**Description of Work :** To provide approximately four inches of concrete that shall be colored with Increte Systems Color Hardener. Using Increte Systems Color Release Agent, the surface shall then be textured using the Increte Systems line of stamped concrete tools, then sealed with Increte Systems Clear Seal.

**Related Work:**

Earthwork	- Section 2300
Concrete Reinforcement	- Section 3200
Expansion and Control Joints	- Section 3250

**Protection:** IOMD shall be protected against undue soilage and damage by other trades by the use of reasonable care and precaution, once properly installed.

**Submittals:** Increte sample shall be submitted for approval of color and texture in accordance with Section 01300, Submittals.

**Job Mock-Ups:** Prior to installation, contractor shall provide an 8'x8' mock-up at the job site. Architect shall approve color, texture and workmanship of the mock-up, then retain as a standard for judging completed work.

### PART II - PRODUCT

**Materials:**

**Stamped Concrete Tools:** Increte stamped concrete tools

**Dry Shake Coloring Agent:** Increte Systems Color Hardener

**Pigmented Release Agent:** Increte Systems Release Agent

**Clear Protective Coating:** Increte Systems Clear Seal

Increte Tool Pattern to be selected.

Increte Color Hardener/Release Agent color combination to be selected.

### PART III - EXECUTION

**Installation:**

**1.** Concrete mix design shall contain a minimum of 5 ½ sacks of type I, II, or V Portland Cement, depending on soil conditions. Concrete shall have a minimum compressive strength of 3,000 psi after 28 days. Maximum slump shall be 4 inches. Air entrainment shall be used in all concrete that is placed on grade and subjected to freeze-thaw conditions. Fiber modified concrete is permissible. Expansion joints shall be used as in standard concrete practices.

**2.** Concrete shall be placed and screeded to the desired grade, and the floated, using standard concrete practices.

**3.** Apply an even application of Increte Color Hardener to the concrete surface, using the standard dry-shake method. Product shall be applied in accordance with manufacturer's specification. At least two applications shall be required. Float after each application.

**4.** Before Increte tools are applied to the concrete surface, apply Increte Release Agent in accordance with manufacturer's specifications.

**5.** While concrete is still in its plastic state, apply the desired Increte tool pattern to the surface of the concrete. Tools shall be properly tamped into the surface to achieve the desired texture.

**6.** Control joints shall be cut at pre-determined areas no later than 12 hours after concrete has been placed. Excess Increte Release Agent shall be removed in accordance with manufacturer's specifications.

**7.** Increte shall then be sealed with a minimum of two coats of Increte Clear Seal. Product shall be applied in accordance with manufacturer's specification

*The trained Contractor indicates certain employees of the company have been instructed in the proper application of Increte Systems Products and have received copies of the Increte Systems Application Instructions and Specifications. The trained Contractor Program is not an apprenticeship. Each trained contractor is an independent company and bears responsibility for its own workmanship. Increte Systems, Inc assumes no liability for the workmanship of any contractor.*

---

**Increte of Maryland, Inc.**

2145 Priest Bridge Drive, Ste 1

Crofton, MD 21114

[www.increteofmd.com](http://www.increteofmd.com)

410-721-6882

## Veteran Owned Businesses

**1-800-246-6882**

**Mid-Atlantic Pigments, LLC**

2145 Priest Bridge Drive, Ste 1

Crofton, MD 21114

[www.midatlanticpigments.com](http://www.midatlanticpigments.com)

410-721-1822